G R S App F IX 4]

Previous References

1942-43
(Municipal)

File No 79-42

Serial Nos 17 to 20/29

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 9

Part B for July 1943

SUBJECT

Question of discontinuing water supply to certain Chowkies against whom arrear charges are pending

---

To the Chief Engineer
No 1270/9 30-5-43

Suggests that individual notices may be sent to the Trustees of the Chowkies concerned fixing a time limit for the payment of arrears.

App F IX 4

Previous References (

Later References

General and Revenue Secretariat.

Serial Nos four

Part B for Dead

R A SUBJECT

Application received for admission into the Medical school and College.

Letter No 15-757-8 Dy 26-243 from the Chief Engineer Mysore, P. W. D requesting to be informated whether the service may be disconnected to those Choultries from whom arrears are due, of the authorities of the Choultries concerned do not respond within the time stipulated in the notice demanding Payment

1) From the list enclosed by the Chief Engineer it is seen that heavy arrears are due from the four Choultries noted below —

(1) Thotadappas Choultry	Rs	1,523-8-0
(2) Polepally Subbiah's Choultry	"	482-8-0
(3) Seshamma's Choultry	"	482-12-
(4) Ellyakala Mallaiah's Choultry	"	164-8

2) Submit for orders

4/3 3) Please enquire whether free allowance has been given in the case of these Choultries if so, what is how much per month separate water rate is the period during which the arrears in question have accrued in the case of each institution? Submit

Law 5/3/43

4) submit with a draft letter for appl.

6/3

Law sec 6/3/43

6/3/43

5) Issue 6/3/43

TRANSFERRED 1943 GENERAL CTT

10642 6/3/43

20

Sus A 12/3 15/1/43

To the Chief Engineers of Mysore P W D No L 9110 dt 9-3-43

Calls for some information

Letter No 23123 dt 31-5-43 from the Chief Engineer of Mysore, P W D furnishing the information called for

The information is contained in the letter of the Executive Engineer, water Supply Div. (Vide flag "G")

Dealt with reference to para 3 supra:

Ulb 13/6/43 15/6 7) The Chief Engr has forwarded a list of 13 Chattrams from whom arrears are due on account of Excess Water Charges for the period from Septr 1941 to end of Decr 1942.

It is seen that free allowance has been allowed to each of the institutions, in respect of which arrears are very heavy they amount to Rs 2653/-

It is reported that notices served to clear the arrears have had no effect and that if the connections are cut off, it would cause inconvenience to the public

The Chief Engr proposes to

issue [illegible] notices in the Gazette and to

local charities fixing a time limit within which the arrears may be paid, failing which the connection might be cut off. No such course is contemplated. The only regulating authority is the Bangalore city [illegible] which under Section 80 of the essentials is not also very wide of the mark as proposed. Hence it would meet the ends of the case if a registered notice fixing a time limit for the payment of the arrears is issued to the trustees of the institution concerned and then cut off the connection. Otherwise the publication of a general notice would mean extra expenditure for advertisement, which is not warranted. Orders of the Chief Engineer may be confirmed accordingly.

Sd/- [illegible] 15/6/43

2) Registered notices may be issued fixing a time limit to the trustees

[illegible] 16/6/43

[illegible] 9) [illegible] 24/6/43

10) [illegible]

SECY LAW DEPT 1469 GOVT 16/6/43 MYSORE

OFFICE OF THE MINISTER FOR L S G & P H Date 17-6-43 No 10288

WD 1140—GPB—50 000—5-11-42

7252
L

Continuation Sheet ml File No / Current No 79 of 42 Page

11 ended with a draft letter for appln.
VIIB
2676

12 Issued
Ubbhw3

TYPING SECTION
28 JUNE 1943
GEN & PE ECTT

To the Chief Engineer Jelly Rose
No L/12716 dy 30-6-43
States that individual registered
notices fixing the time limit may
be issued to the Trustees.

B8/7

(6

Letter No 756 dated 25-1-1943 from the Executive Engineer, [redacted] Division, to the Chief Engineer of Mysore

C F No 46]

GOVERNMENT OF MYSORE

Telegram / phone

OFFICE OF The Chief Engineer of Mysore,
P W D,
Bangalore

No 15 7578
Encls 2

Date 26-2-43
Le 79-42-17

To The Secretary to Government,
Law Department,
Bangalore

Sir

Arrears of excess meter charges outstanding against certain choultries

I have the honor to forward herewith for the orders of Government a copy of letter No 756 dated 25-1-1943, with a copy of its enclosure, received from the Executive Engineer, Water Supply Division, on the above subject

2 The Executive Engineer has been asked to serve notices to the concerned authorities Whether the service may be disconnected if the parties do not respond within the time stipulated may kindly be intimated

I have the honour to be,
Sir,
Your most obedient servant,

26/2/43
CHIEF ENGINEER OF MYSORE

CRS/24

(6

Letter No 756 dated 25-1-1943 from the Executive Engineer, Water Supply Division, to the Chief Engineer of Mysore

---

Arrears under Chattrams

I have the honour to state that the amounts outstanding against the chattrams as noted below are on the increase and all my efforts to collect the arrears have failed since the chattram authorities have not taken the matter seriously ever since the meters were installed As these are public places, there will be much inconvenience to the public if the rules are rigidly enforced and water supply cut off The Municipality does not take the responsibility to collect the charges either Under these circumstances, orders are requested whether the rules may be rigidly enforced at once and water stopped

Can it be suggested that the following notice may be got out up in the Gazette and also in the Local Dailies and action taken accordingly The notice is as follows -

"y" "The attention of the Trustees of the several chattrams and other charitable institutions in Bangalore City is invited to Rules 80(b)(1) of G O No L 8034-M1 86-40-10 dated 10-5-1941, wherein it is stated that a certain free allowance is given to those institutions and all water spent in excess thereof has to be paid at eight annas per 1,000 gallons and failure to pay in time involves water being stopped It is however now the duty of this Department to point out that in spite of having fixed meters to such institutions and sent bills on the above basis, the payments have not been made at all The Trustees are therefore informed that if these arrears are not paid on or before 5th February 1943, the water will be stopped in such institutions and the inconvenience caused to the public cannot therefore be helped "

======= =====

List showing the arrears outstanding against the choultries

Meter No	Address	Amount	
2356, 2357	The Secretary, Thotadappa's choultry	1,523- 8-0	1
2360	Dr Subbaiah Setty, Polepally Subbian's choultry	482- 8-0	2
2364	Seshamma's choultry, 14, Subedar chattram road	482-12-0	3
2370	Myakala Mallaian's choultry, Subedarchattram Rd	164- 8-0	4
2419	G Kondappa's choultry, 61, -do-	7-12-0	5
8904	Sajjan Rao choultry, Gavipur	0-12-0	6
8905	Dr Goswamy, Gavipur choultry	0-12-0	7
907	Nagadasappa choultry, Gavipur	1- 8-0	8
8908	Lakshmipathappa choultry, "	16- 6-0	9
8910 D	Devanga choultry, "	1- 8-0	10

P T O

[illegible]	[illegible] Poultry, [illegible] Vapur	22-12-0
06	[illegible] Venkata [illegible] Poultry, 10, [illegible] Mandapeshwara Road, [illegible] Pahargunj	1- [illegible]-0
[illegible]	Vasantrao [illegible] Poultry, 7, Siddhapathi Agraham, [illegible] Rajpeet	23- 8-0

- -

"Copies"

[illegible]

[illegible]

[illegible]

Appendix F G—11

L 9110 ML 9742-20 9/3/43

To The Chief Engineer of Mysore
Bangalore

Sir,

With reference to your letter No L5 757-8 & 26-2-43 in the matter of disconnecting the service to certain Choultries which are in arrears in regard to the payment of ~~water~~ charges ~~and who do not pay the dues inspite of the~~ issue of special notices demanding payment, I am directed to enquire whether free allowance has been fixed in the case of the Choultries referred to in your letter & if so, what how much per month or quarter (vide rule 20 (b) as amended in with No L 8034/FM 96-40-10 dt 10 VI 1941) The period during which the arrears in question have accrued in the case of each Choultry & the reason for allowing such may also be intimated

I have etc

for Secy to Govt
Law Deptt

9/3/43

for Secy to Govt
Law

Appendix F G—11

C I No 46]

GOVERNMENT OF MYSORE

Telegram / phone

No 93/23
Encls One copy

OFFICE OF
The Chief Engineer of Mysore,
Bangalore, BPANC

7252/9

SECY LAW DEPT * GOVT OF MYSORE *

Date 31st May 1943

To

The Secretary to Government,
Law Department,
Bangalore

Sir

Subject - Arrears outstanding against Choultries towards excess water charges

With reference to your letter No L 9110/M1 79-42-20 dated 9-3-1943, I have the honour to forward herewith a copy of letter No 1238 dated 28th April 1943 received from the Executive Engineer, Water Supply Division, furnishing the required particulars in connection with the above

2 Notices served to clear the arrears, so far has had no effect

3 Early orders of Government may, therefore, be kindly conveyed as otherwise the arrears are bound to accumulate and rise to a still higher figure

I have the honour to be,
Sir,
Your most obedient servant,

31/5/43
Chief Engineer of Mysore

V M S/29th

31/5

Appendix F G—11

Letter No 1238 dated 28th April 1943 from the Executive Engineer, Water Supply Division, Bangalore, to the Chief Engineer of Mysore, Bangalore

Arrears outstanding against the Choultries

With reference to your memo No 17902 dated 29th March 1943, I have the honour to state that free allowance in respect of the Choultries is being allowed on the basis of the rental value of the buildings and the excess consumption is charged at the rate of eight annas per 1,000 gallons This is being done from the date of metering of the premises namely January 1940 Free allowance and the arrears in cases of the important major Choultries are furnished for favour of information

The arrears pertain to the period from September 1941 Quarters to December 1942 Quarter Bills were sent to the authorities of the Choultries as and when demands fell due, but action could not be taken to disconnect service to avoid inconvenience to the public

As regards the other institutions action is being taken to collect arrears as the amount involved is small

		Free allowance per Quarter Gallons	Arrears Rs
1	Thotadappa's Choultry, M No 2356-2357	30,000	1523- 8-0
2	Polepally Subbiah's Choultry M No 2360	30,000	482- 8-0
3	Seshamma's Choultry, M No 2364	20,000	482-12-0
4	Mykala Malliah's Choultry M No 2370	9,000	164- 8-0
			2653. 4-0

"COPY"

VMS/29 5 43 Chief Engineer of Mysore

Appendix F G —1]

SUBJECT

(11

Section ML

File No 7942

Serial No

Diary No. of letter replied to

No 12716

To

General and Revenue Secretariat

( )

the *194*

The Chief Engineer of Mysore P W D

Sir,

Date of issue 30/6

Signed by [illegible] for Secretary to Government

With reference to the correspondence ending with Letter No 23123 Dy 31-5-43 re the arrears outstanding against Choultries in Mysore towards excess water charges, I am directed to state that individual registered notices may be issued to the Trustees of the Choultries concerned fixing a time limit for the payment of the arrears due and that the receipt of the notice of demand issued by you on their behalf the Kind suffered by the Choultries at the present

List of enclosures

Copied by [illegible] 28/6/43

Examined by

WD 04161—GPS—60 000—24 10 41

26/6/43

for Secretary to Government